

**SIGNATURE PAGE**

**RFQ# F-118-2026**

To the Board of County Commissioners of the County of Monmouth:

**THE UNDERSIGNED HEREBY DECLARES THAT  
I (WE) HAVE CAREFULLY EXAMINED THE SPECIFICATIONS.  
I (WE) HEREBY CERTIFY PRICES QUOTED ARE IN ACCORDANCE  
WITH YOUR REQUIREMENTS.**

Company Name: Road Safety Systems, LLC

(PRINT)

Preparer's Name: Steve Carlow

(PRINT)

Signature: 

6/23/2026  
(DATE)

Business Address: 1512 Mays Landing Road Hammonton, NJ 08037


Telephone No.: 609-561-3800

Fax No.: 609-567-8349

E-Mail Address: jody@roadsafetysystem.com

**\*\*\* (This should be the email where Contracts would be sent) \*\*\***

Contact Person: Jody Perna

FEIN: 

(Federal Employee ID)

(Revised 3/2026)

**2026 MONMOUTH COUNTY DIVISION OF BRIDGES  
BEAM GUIDERAIL MATERIALS AND PARTS**

| ITEM | ITEM DESCRIPTION  | UNIT PRICE EACH |
|------|---|-----------------|
| #    |   |                 |
| 1    | W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, MIDSPAN SPLICES, POST HOLES SPACED @ 6'-3", BLACK POWDER COATED  | 277.50          |
| 2    | W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, MIDSPAN SPLICES, POST HOLES SPACED @ 6'-3", BROWN POWDER COATED  | 240.50          |
| 3    | W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, MIDSPAN SPLICES, POST HOLES SPACED @ 6'-3", GALVANIZED           | 110.50          |
| 4    | W-BEAM GUIDE RAIL (12 GA.), 26'-0 ½" LONG, MIDSPAN SPLICES, POST HOLES SPACED @ 6'-3", BLACK POWDER COATED  | 547.50          |
| 5    | W-BEAM GUIDE RAIL (12 GA.), 26'-0 ½" LONG, MIDSPAN SPLICES, POST HOLES SPACED @ 6'-3", BROWN POWDER COATED  | 474.50          |
| 6    | W-BEAM GUIDE RAIL (12 GA.), 26'-0 ½" LONG, MIDSPAN SPLICES, POST HOLES SPACED @ 6'-3", GALVANIZED           | 214.50          |
| 7    | W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, MIDSPAN SPLICES, POST HOLES SPACED @ 3'-1½", BROWN POWDER COATED | 240.50          |
| 8    | W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, MIDSPAN SPLICES, POST HOLES SPACED @ 3'-1½", BLACK POWDER COATED | 277.50          |
| 9    | W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, MIDSPAN SPLICES, POST HOLES SPACED @ 3'-1½", GALVANIZED          | 110.50          |
| 10   | W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, MIDSPAN SPLICES, POST HOLES SPACED @ 1'-6¾", BLACK POWDER COATED | 277.50          |
| 11   | W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, MIDSPAN SPLICES, POST HOLES SPACED @ 1'-6¾", BROWN POWDER COATED | 240.50          |
| 12   | W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, MIDSPAN SPLICES, POST HOLES SPACED @ 1'-6¾", GALVANIZED          | 110.50          |
| 13   | W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, RAILPOST SPLICES, POST HOLES SPACED @ 6'-3", BLACK POWDER COATED | 249.75          |
| 14   | W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, RAILPOST SPLICES, POST HOLES SPACED @ 6'-3", BROWN POWDER COATED | 240.50          |
| 15   | W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, RAILPOST SPLICES, POST HOLES SPACED @ 6'-3", GALVANIZED          | 110.50          |
| 16   | W-BEAM GUIDE RAIL (12 GA.), 26'-0 ½" LONG, RAILPOST SPLICES, POST HOLES SPACED @ 6'-3", BLACK POWDER COATED | 492.75          |

**2026 MONMOUTH COUNTY DIVISION OF BRIDGES  
BEAM GUIDERAIL MATERIALS AND PARTS**

| ITEM | ITEM DESCRIPTION   | UNIT PRICE EACH |
|------|--|-----------------|
| #    |  |                 |
| 17   | W-BEAM GUIDE RAIL (12 GA.), 26'-0 1/2" LONG, RAILPOST SPLICES, POST HOLES SPACED @ 6'-3", BROWN POWDER COATED    | 474.50          |
| 18   | W-BEAM GUIDE RAIL (12 GA.), 26'-0 1/2" LONG, RAILPOST SPLICES, POST HOLES SPACED @ 6'-3", GALVANIZED             | 214.50          |
| 19   | W-BEAM TERMINAL CONNECTOR (10 GA.), BLACK POWDER COATED  | 168.75          |
| 20   | W-BEAM TERMINAL CONNECTOR (10 GA.), BROWN POWDER COATED  | 168.75          |
| 21   | W-BEAM TERMINAL CONNECTOR (10 GA.), GALVANIZED   | 84.50           |
| 22   | STRUCTURAL C CHANNEL, C6 X 8.2 (10 GA., BLACK POWDER COATED, 12'-5 3/4" LONG)                                    | 486.00          |
| 23   | STRUCTURAL C CHANNEL, C6 X 8.2 (10 GA., BROWN POWDER COATED, 12'-5 3/4" LONG)                                    | 468.00          |
| 24   | STRUCTURAL C CHANNEL, C6 X 8.2 (10 GA., GALVANIZED, 12'-5 3/4" LONG)   | 325.00          |
| 25   | STRUCTURAL C CHANNEL, C6 X 8.2 (10 GA., BLACK POWDER COATED, 24'-11 1/4" LONG)                                   | 891.00          |
| 26   | STRUCTURAL C CHANNEL, C6 X 8.2 (10 GA., BROWN POWDER COATED, 24'-11 1/4" LONG)                                   | 858.00          |
| 27   | STRUCTURAL C CHANNEL, C6 X 8.2 (10 GA., GALVANIZED, 24'-11 1/4" LONG)  | 572.00          |
| 28   | TANGENT TERMINAL (MASH TL-3) MSKT-SP-MGS WITH 8" SYNTHETIC BLOCKOUT, BLACK POWER COATED                          | 4,515.00        |
| 29   | TANGENT TERMINAL (MASH TL-3) MSKT-SP-MGS WITH 8" SYNTHETIC BLOCKOUT, BROWN POWER COATED                          | 3,913.00        |
| 30   | TANGENT TERMINAL (MASH TL-3) MSKT-SP-MGS WITH 8" SYNTHETIC BLOCKOUT, GALVANIZED POWER COATED                     | 2,483.00        |
| 31   | TANGENT TERMINAL (MASH TL-3) SOFTSTOP SYSTEM WITH STEEL POSTS AND 8" SYNTHETIC BLOCKOUT, BLACK POWER COATED      | 5,375.00        |
| 32   | TANGENT TERMINAL (MASH TL-3) SOFTSTOP SYSTEM WITH STEEL POSTS AND 8" SYNTHETIC BLOCKOUT, BROWN POWER COATED      | 5,375.00        |
| 33   | TANGENT TERMINAL (MASH TL-3) SOFTSTOP SYSTEM WITH STEEL POSTS AND 8" SYNTHETIC BLOCKOUT, GALVANIZED POWER COATED | 4,000.00        |
| 34   | CONTROLLED RELEASE TERMINAL (NCHRP 230 TL-3), 8' RAD., W/CRT ANCHOR (COMPLETE UNIT), BLACK POWDER COATED         | 4,050.00        |

**2026 MONMOUTH COUNTY DIVISION OF BRIDGES  
BEAM GUIDERAIL MATERIALS AND PARTS**

| ITEM<br># | ITEM DESCRIPTION   | UNIT PRICE<br>EACH |
|-----------|--|--------------------|
| 35        | CONTROLLED RELEASE TERMINAL (NCHRP 230 TL-3), 8' RAD., W/CRT ANCHOR (COMPLETE UNIT), BROWN POWDER COATED | 3,900.00           |
| 36        | CONTROLLED RELEASE TERMINAL (NCHRP 230 TL-3), 8' RAD., W/CRT ANCHOR (COMPLETE UNIT), GALVANIZED          | 2,280.00           |
| 37        | CONTROLLED RELEASE TERMINAL ANCHORAGE  | 1,680.00           |
| 38        | BEAM GUIDE RAIL ANCHORAGE (MASH TL-3), BLACK POWDER COATED   | 2,235.00           |
| 39        | BEAM GUIDE RAIL ANCHORAGE (MASH TL-3), BROWN POWDER COATED   | 1,937.00           |
| 40        | BEAM GUIDE RAIL ANCHORAGE (MASH TL-3), GALVANIZED  | 1,203.20           |
| 41        | THRIE BREAM TERMINAL CONNECTOR (10 GA.), BLACK POWDER COATED   | 276.75             |
| 42        | THRIE BREAM TERMINAL CONNECTOR (10 GA.), BROWN POWDER COATED   | 266.50             |
| 43        | THRIE BREAM TERMINAL CONNECTOR (10 GA.), GALVANIZED  | 123.50             |
| 44        | THRIE BEAM GUIDE RAIL, 13'-6½", BLACK POWDER COATED  | 523.80             |
| 45        | THRIE BEAM GUIDE RAIL, 13'-6½", BROWN POWDER COATED  | 504.40             |
| 46        | THRIE BEAM GUIDE RAIL, 13'-6½", GALVANIZED   | 218.40             |
| 47        | THRIE BEAM GUIDE RAIL, 26'-1/2", BLACK POWDER COATED   | 1,105.00           |
| 48        | THRIE BEAM GUIDE RAIL, 26'-1/2", BROWN POWDER COATED   | 1,105.00           |
| 49        | THRIE BEAM GUIDE RAIL, 26'-1/2", GALVANIZED  | 375.00             |
| 50        | THRIE BEAM TO W-BEAM SYMETRICAL TRANSITION, 7'-3½" LONG (10 GA.), BLACK POWDER COATED                    | 486.00             |
| 51        | THRIE BEAM TO W-BEAM SYMETRICAL TRANSITION, 7'-3½" LONG (10 GA.), BROWN POWDER COATED                    | 468.00             |

| <b>2026 MONMOUTH COUNTY DIVISION OF BRIDGES<br/>BEAM GUIDERAIL MATERIALS AND PARTS</b> |  |                            |
|--|--|----------------------------|
| <b>ITEM</b>  | <b>ITEM DESCRIPTION</b>  | <b>UNIT PRICE<br/>EACH</b> |
| <b>#</b>   |  |                            |
| <b>52</b>  | THRIE BEAM TO W-BEAM SYMETRICAL TRANSITION, 7'-3½" LONG (10 GA.), GALVANIZED                       | <b>286.00</b>              |
| <b>53</b>  | THRIE BEAM TO W-BEAM ASYMETRICAL TRANSITION, LEFT SIDE, 7'-3½" LONG (10 GA.), BLACK POWDER COATED  | <b>567.00</b>              |
| <b>54</b>  | THRIE BEAM TO W-BEAM ASYMETRICAL TRANSITION, LEFT SIDE, 7'-3½" LONG (10 GA.), BROWN POWDER COATED  | <b>546.00</b>              |
| <b>55</b>  | THRIE BEAM TO W-BEAM ASYMETRICAL TRANSITION, LEFT SIDE, 7'-3½" LONG (10 GA.), GALVANIZED           | <b>286.00</b>              |
| <b>56</b>  | THRIE BEAM TO W-BEAM ASYMETRICAL TRANSITION, RIGHT SIDE, 7'-3½" LONG (10 GA.), BLACK POWDER COATED | <b>567.00</b>              |
| <b>57</b>  | THRIE BEAM TO W-BEAM ASYMETRICAL TRANSITION, RIGHT SIDE, 7'-3½" LONG (10 GA.), BROWN POWDER COATED | <b>546.00</b>              |
| <b>58</b>  | THRIE BEAM TO W-BEAM ASYMETRICAL TRANSITION, RIGHT SIDE, 7'-3½" LONG (10 GA.), GALVANIZED          | <b>286.00</b>              |
| <b>59</b>  | THRIE BEAM SECTION (10 GA.), 4'-2" LONG, BLACK POWDER COATED                                       | <b>297.00</b>              |
| <b>60</b>  | THRIE BEAM SECTION (10 GA.), 4'-2" LONG, BROWN POWDER COATED                                       | <b>286.00</b>              |
| <b>61</b>  | THRIE BEAM SECTION (10 GA.), 4'-2" LONG, GALVANIZED  | <b>156.00</b>              |
| <b>62</b>  | THRIE BEAM SECTION (12 GA.), 7'-3½" LONG, BLACK POWDER COATED                                      | <b>310.50</b>              |
| <b>63</b>  | THRIE BEAM SECTION (12 GA.), 7'-3½" LONG, BROWN POWDER COATED                                      | <b>299.00</b>              |
| <b>64</b>  | THRIE BEAM SECTION (12 GA.), 7'-3½" LONG, GALVANIZED   | <b>130.00</b>              |
| <b>65</b>  | FLEAT-MT-MGS (STEEL POST & 8" SYN. BLOCKOUT), BLACK POWDER COATED                                  | <b>6,960.00</b>            |
| <b>66</b>  | FLEAT-MT-MGS (STEEL POST & 8" SYN. BLOCKOUT), BROWN POWDER COATED                                  | <b>6,960.00</b>            |
| <b>67</b>  | FLEAT-MT-MGS (STEEL POST & 8" SYN. BLOCKOUT), GALVANIZED   | <b>4,980.00</b>            |
| <b>68</b>  | BURIED GUIDE RAIL TERMINAL (MASH TL-3), 50' LONG, RAILPOST SPLICES, POST HOLES SPACED @ 6'-3"      | <b>1,437.50</b>            |
| <b>69</b>  | STEEL POST (W6 X 8.5 OR W6 X 9, 6'-0" LONG, BLACK POWDER COATED)                                   | <b>177.00</b>              |

**2026 MONMOUTH COUNTY DIVISION OF BRIDGES  
BEAM GUIDERAIL MATERIALS AND PARTS**

| ITEM | ITEM DESCRIPTION   | UNIT PRICE EACH |
|------|--|-----------------|
| #    |  |                 |
| 70   | STEEL POST (W6 X 8.5 OR W6 X 9, 6'-0" LONG, BROWN POWDER COATED) | 165.20          |
| 71   | STEEL POST (W6 X 8.5 OR W6 X 9, 6'-0" LONG, GALVANIZED)          | 95.20           |
| 72   | STEEL POST (W6 X 8.5 OR W6 X 9, 6'-9" LONG, BLACK POWDER COATED) | 184.95          |
| 73   | STEEL POST (W6 X 8.5 OR W6 X 9, 6'-9" LONG, BROWN POWDER COATED) | 178.10          |
| 74   | STEEL POST (W6 X 8.5 OR W6 X 9, 6'-9" LONG, GALVANIZED)          | 97.50           |
| 75   | STEEL POST (W6 X 8.5 OR W6 X 9, 7'-0" LONG, BLACK POWDER COATED) | 210.60          |
| 76   | STEEL POST (W6 X 8.5 OR W6 X 9, 7'-0" LONG, BROWN POWDER COATED) | 202.80          |
| 77   | STEEL POST (W6 X 8.5 OR W6 X 9, 7'-0" LONG, GALVANIZED)          | 102.70          |
| 78   | STEEL POST (W6 X 8.5 OR W6 X 9, 7'-2" LONG, BLACK POWDER COATED) | 224.10          |
| 79   | STEEL POST (W6 X 8.5 OR W6 X 9, 7'-2" LONG, BROWN POWDER COATED) | 215.80          |
| 80   | STEEL POST (W6 X 8.5 OR W6 X 9, 7'-2" LONG, GALVANIZED)          | 105.30          |
| 81   | STEEL POST (W6 X 8.5 OR W6 X 9, 8'-0" LONG, BLACK POWDER COATED) | 268.50          |
| 82   | STEEL POST (W6 X 8.5 OR W6 X 9, 8'-0" LONG, BROWN POWDER COATED) | 232.70          |
| 83   | STEEL POST (W6 X 8.5 OR W6 X 9, 8'-0" LONG, GALVANIZED)          | 118.30          |
| 84   | STEEL POST (W6 X 8.5 OR W6 X 9, 9'-0" LONG, BLACK POWDER COATED) | 291.00          |
| 85   | STEEL POST (W6 X 8.5 OR W6 X 9, 9'-0" LONG, BROWN POWDER COATED) | 252.20          |
| 86   | STEEL POST (W6 X 8.5 OR W6 X 9, 9'-0" LONG, GALVANIZED)          | 132.60          |
| 87   | STEEL POST (W6 X 20, 36" LONG, BLACK POWDER COATED)              | 560.25          |

**2026 MONMOUTH COUNTY DIVISION OF BRIDGES  
BEAM GUIDERAIL MATERIALS AND PARTS**

| ITEM<br># | ITEM DESCRIPTION   | UNIT PRICE<br>EACH |
|-----------|--|--------------------|
| 88        | STEEL POST (W6 X 20, 36" LONG, BROWN POWDER COATED)                                  | 518.75             |
| 89        | STEEL POST (W6 X 20, 36" LONG, GALVANIZED)   | 300.00             |
| 90        | STEEL FOUNDATION TUBES, TS-8" X 6" X 3/16", 6' - 0" LONG                             | 286.00             |
| 91        | WOOD POST 7½" X 5½" X 3'-10"   | 63.00              |
| 92        | WOOD BREAKAWAY POST, 7½" X 5½" X 3'-6½"  | 67.20              |
| 93        | WOOD POST CRT, 6" X 8" X 6'-0"   | 63.00              |
| 94        | WOOD BLOCKOUT, 6" X 8" X 14"   | 16.50              |
| 95        | BLOCKOUT RECYCLED/SYNTHETIC, 6" X 8" X 14", MASH (TL-3)                              | 8.40               |
| 96        | BLOCKOUT RECYCLED/SYNTHETIC, 6" X 8" X 22", (TL-2 ATTACHMENT)                        | 15.40              |
| 97        | BLOCKOUT STEEL STRUCTURAL TUBE, 7" X 5" X 3/16", 1'-5¾" LONG, (TL-3 ATTACHMENT)      | 81.00              |
| 98        | BLOCKOUT STEEL STRUCTURAL TUBE, 7" X 5" X 3/16", 1'-1¾" LONG (TL-3 ATTACHMENT)       | 81.00              |
| 99        | BLOCKOUT STEEL, W6 X 15 (6" X 6" X 14"), GALVANIZED                                  | 135.00             |
| 100       | BLOCKOUT STEEL, W14 X 22 (5" X 14" X 17", MODIFIED THRIE BEAM)                       | 81.00              |
| 101       | BLOCKOUT STEEL, W6 X 8.5 OR W6 X 9, 6" X 4" X 14" (ATTACHMENT TO SIDEWALK) CD-609-11 | 40.50              |
| 102       | BEAM GUIDE RAIL END SECTION (ROUNDED), GALVANIZED                                    | 90.00              |
| 103       | THRIE BEAM END SECTION (ROUNDED)   | 156.00             |
| 104       | BUFFER END SECTION 30" DIA., (CONTROLLED RELEASE TERMINAL), GALVANIZED               | 136.50             |
| 105       | ANCHORAGE GROUND STRUT C6 X 8.2, 5'-7" LONG  | 136.50             |

**2026 MONMOUTH COUNTY DIVISION OF BRIDGES  
BEAM GUIDERAIL MATERIALS AND PARTS**

| ITEM # | ITEM DESCRIPTION  | UNIT PRICE EACH |
|--------|---|-----------------|
| 106    | GALVANIZED CABLE, 6 X 19, IWRC, IPS, 3/4" DIA., EACH END WITH 1'-3" SWAGED FITTING AND 1" DIA. X 7" STUD THREADED | 406.25          |
| 107    | GALVANIZED CABLE, 3" DIA., 9'-0" LONG, ONE SWAGED END   | 156.00          |
| 108    | GALVANIZED STEEL PIPE SCHEDULE 40, 10" O.D., 1'1" LONG, CD-609-12   | 206.25          |
| 109    | GALVANIZED STEEL PIPE SCHEDULE 40, 6" O.D., 1'1" LONG, CD-609-12  | 135.00          |
| 110    | GALVANIZED STRUCTURAL TUBE 2 1/2" X 2 1/2" X 1/4", 8" LONG  | 156.00          |
| 111    | GALVANIZED PIPE, 2" DIA., 1'1" LONG, CD-609-12  | 12.00           |
| 112    | GALVANIZED FULL LENGTH THREADED STUD, 1" DIA., 4" LONG  | 21.00           |
| 113    | ANCHOR BEARING BRACKET PLATE, 3/16" THICK, 16" LENGTH, 4-3/4" DIA. HOLES, CD-609-4                                | 63.00           |
| 114    | STEEL BEARING PLATE, ANCHOR BRACKET, 3/8" X 2 3/4" X 3", WITH 1 1/8" DIA. HOLE @ CENTER                           | 97.50           |
| 115    | STEEL BEARING PLATE, 5/8" X 8" X 8", WITH 1 1/8" DIA. HOLE @ (4" AND 3" OFF EDGE)                                 | 45.50           |
| 116    | STEEL BEARING PLATE, 5/8" X 8" X 8", WITH 1 1/16" DIA. HOLE @ (4" and 3" OFF EDGE)                                | 52.00           |
| 117    | STEEL PLATE, 1/4" X 2'-0" X 1'-6", WITH TWO 7/8" DIA. HOLES (SOIL PLATE)  | 84.50           |
| 118    | STEEL PLATE, 1/4" X 2 1/2" X 2 1/2", WITH 1 1/16" DIA. HOLE   | 130.00          |
| 119    | STEEL PLATE, 3/16" X 1" X 8"  | 117.00          |
| 120    | STEEL PLATE, 3/8" X 4" X 1'-0"  | 117.00          |
| 121    | STEEL PLATE, 1/2" X 14" X 14", BURIED GUIDE RAIL TERMINAL (MASH TL-3)   | 110.50          |
| 122    | BASE STEEL PLATE, 1 1/8" X 1'-0" X 1'-0", WITH 4-1" DIA. HOLES OFFSET 1 1/2" FROM EDGES                           | 162.50          |
| 123    | STEEL MOUNTING PLATE, 3/8" X 1'-4" X 10", GALVANIZED  | 123.50          |

**2026 MONMOUTH COUNTY DIVISION OF BRIDGES  
BEAM GUIDERAIL MATERIALS AND PARTS**

| ITEM<br># | ITEM DESCRIPTION   | UNIT PRICE<br>EACH |
|-----------|--|--------------------|
| 124       | STEEL BACKUP PLATE FOR THRIE-BEAM TERMINAL CONNECTOR, 5/8" X 12" X 1'-8 1/4"         | 130.00             |
| 125       | STEEL BACKUP PLATE FOR W-BEAM TERMINAL CONNECTOR, 5/8" X 12" X 12"                   | 91.00              |
| 126       | BACKUP STEEL PLATE, 12" X 20" WITH TWO 3/4" X 2 1/2" POST BOLT SLOT                  | 39.00              |
| 127       | TRIANGULAR GUIDE RAIL REFLECTORS   | 9.10               |
| 128       | NAILS 10D, GALVANIZED  | 3.90               |
| 129       | NAILS 16D, GALVANIZED  | 3.90               |
| 130       | CABLE CLIPS, 3/4"  | 18.20              |
| 131       | STEEL ROUND WASHER 7/8", GALVANIZED  | 1.80               |
| 132       | STEEL HEX NUT AND WASHER, FOR 1" DIA. STUD   | 5.25               |
| 133       | STEEL SQUARE WASHER 3/16" X 1 3/4" X 1 3/4", 1" DIA. HOLE                            | 5.25               |
| 134       | BUTTON HEAD BOLTS, 5/8" DIA. 1 3/4" LENGTH, FULL LENGTH THREAD, GALVANIZED           | 1.50               |
| 135       | BUTTON HEAD BOLTS, 5/8" DIA. X 9 1/2" LENGTH, MIN. THREAD LENGTH 1 3/4", GALVANIZED  | 4.50               |
| 136       | BUTTON HEAD BOLTS, 5/8" DIA. X 1 1/4" LONG, WITH RECESS NUT, GALVANIZED              | 1.80               |
| 137       | BUTTON HEAD BOLTS, 5/8" DIA. X 2" LONG, WITH RECESS NUT, GALVANIZED                  | 2.40               |
| 138       | BUTTON HEAD BOLTS, 5/8" DIA. X 9 1/2" LONG, WITH RECESS NUT, GALVANIZED              | 4.95               |
| 139       | BUTTON HEAD BOLTS, 5/8" DIA. X 10" LONG, MIN. THREAD LENGTH 4", WITH NUT, GALVANIZED | 5.25               |
| 140       | BUTTON HEAD BOLTS, 5/8" DIA., 18" LONG, WITH WASHER, GALVANIZED                      | 7.50               |
| 141       | HEX HEAD BOLT, 5/8" DIA., 10" LONG, WITH STEEL NUT AND WASHER, GALVANIZED            | 5.25               |

**2026 MONMOUTH COUNTY DIVISION OF BRIDGES  
BEAM GUIDERAIL MATERIALS AND PARTS**

| ITEM # | ITEM DESCRIPTION   | UNIT PRICE EACH |
|--------|--|-----------------|
| 142    | HEX HEAD BOLT, 5/8" DIA., 1½" LONG, WITH STEEL NUT AND WASHER, GALVANIZED            | 2.40            |
| 143    | HEX HEAD BOLT, 5/8" DIA., 1½" LONG, WITH RECTANGULAR PLATE WASHER, GALVANIZED        | 3.30            |
| 144    | HEX HEAD BOLT, 5/8" DIA., 1½" LONG, WITH HEAD HEX NUT                                | 2.10            |
| 145    | HEX HEAD BOLT, 5/8" DIA., 2" LONG, WITH SQUARE WASHER AND HEAD HEX NUT               | 6.75            |
| 146    | HEX HEAD BOLT, 3/4" DIA., 10" LONG AND NUT, WITH TWO WASHERS, GALVANIZED             | 12.00           |
| 147    | HEX HEAD BOLT, 3/4" DIA., 7½" LONG AND NUT, WITH TWO WASHERS, GALVANIZED             | 7.50            |
| 148    | HEX HEAD BOLT, 7/8" DIA., 8" LONG, WITH STEEL NUT AND WASHER, GALVANIZED             | 21.00           |
| 149    | CARRIAGE BOLTS, 5/8" DIA. X 1 ½" LONG, FULL THREAD LENGTH, WITH WASHER, GALVANIZED   | 10.50           |
| 150    | CARRIAGE BOLTS, 5/8" DIA. X 3" LONG, MIN. THREAD LENGTH 1½", WITH WASHER, GALVANIZED | 12.00           |
| 151    | HIGH STRENGTH STEEL ANCHOR BOLT, AASHTO M164, 7/8" DIA., 3' X 7/8" THREADED ROD      | 84.00           |
| 152    | RECESS NUT, 5/8" DIA. 1" DIA. X 1/16" DEEP, RECESS BOTH SIDES, HEAVY HEX NUT         | 1.05            |
| 153    | QUADGUARD SYSTEM MODEL QS2403, CARTRIDGE TYPE I                                      | 1,140.00        |
| 154    | QUADGUARD SYSTEM MODEL QS2403, CARTRIDGE TYPE II                                     | 1,140.00        |
| 155    | QUADGUARD SYSTEM MODEL QS2403, NOSE ASSEMBLIES (YELLOW)                              | 1,440.00        |
| 156    | QUADGUARD SYSTEM MODEL QS2403, WITH TRANSITION AND NOSE ASSEMBLIES (COMPLETE UNIT)   | 21,945.00       |
| 157    | QUADGUARD SYSTEM MODEL QS2406, CARTRIDGE TYPE I                                      | 1,045.00        |
| 158    | QUADGUARD SYSTEM MODEL QS2406, CARTRIDGE TYPE II                                     | 1,140.00        |
| 159    | QUADGUARD SYSTEM MODEL QS2406, NOSE ASSEMBLIES (YELLOW)                              | 1,440.00        |

**2026 MONMOUTH COUNTY DIVISION OF BRIDGES  
BEAM GUIDERAIL MATERIALS AND PARTS**

| ITEM<br># | ITEM DESCRIPTION   | UNIT PRICE<br>EACH |
|-----------|--|--------------------|
| 160       | QUADGUARD SYSTEM MODEL QS2406, WITH TRANSITION AND NOSE ASSEMBLIES (COMPLETE UNIT)                             | 35,280.00          |
| 161       | QUADGUARD SYSTEM MODEL QS2406, WITH TRANSITION AND NOSE ASSEMBLIES (COMPLETE UNIT)                             | 35,280.00          |
| 162       | QUADGUARD SYSTEM MODEL QS2406, FENDER PANEL ASSEMBLY, PART NUMBER 3540040-000                                  | 1,242.00           |
| 163       | FLEAT 350 PARTS/HARDWARE BUCKET, GALVANIZED  | 135.00             |
| 164       | FLEAT 350 RAIL ELEMENT #1 (BLACK POWER COATED, 12'-6" LONG)  | 405.00             |
| 165       | FLEAT 350 RAIL ELEMENT #1 (GALVANIZED, 12'-6" LONG)  | 225.00             |
| 166       | FLEAT 350 RAIL ELEMENT #1 (BROWN POWERED COATED, 12'-6" LONG)  | 375.00             |
| 167       | W-BEAM GUIDERAIL END SECTION 12 GA, MSKT #1 RAIL   | 240.50             |
| 168       | FIRST POST TOP (6X6X1/8 TUBE)  | 143.00             |
| 169       | FIRST POST BOTTOM (6' W6X15)   | 286.00             |
| 170       | SECOND POST ASSEMBLY TOP   | 84.50              |
| 171       | SECOND POST ASSEMBLY BOTTOM  | 149.50             |
| 172       | W-BEAM MGS RAIL SECTION (9-41/2)   | 104.00             |
| 173       | MSKT HARDWARE BUCKET   | 117.00             |
| 174       | W-BEAM GUIDE RAIL (12 GA.), 8' RADIUS, CONCAVE, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", BLACK POWDER COATED | 325.00             |
| 175       | W-BEAM GUIDE RAIL (12 GA.), 8' RADIUS, CONCAVE, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", BROWN POWDER COATED | 325.00             |
| 176       | W-BEAM GUIDE RAIL (12 GA.), 8' RADIUS, CONCAVE, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", GALVANIZED          | 137.50             |
| 177       | W-BEAM GUIDE RAIL (12 GA.), 8' RADIUS, CONVEX, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", BLACK POWDER COATED  | 325.00             |

**2026 MONMOUTH COUNTY DIVISION OF BRIDGES  
BEAM GUIDERAIL MATERIALS AND PARTS**

| ITEM | ITEM DESCRIPTION  | UNIT PRICE EACH |
|------|---|-----------------|
| #    |   |                 |
| 178  | W-BEAM GUIDE RAIL (12 GA.), 8' RADIUS, CONVEX, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", BROWN POWDER COATED   | 325.00          |
| 179  | W-BEAM GUIDE RAIL (12 GA.), 8' RADIUS, CONVEX, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", GALVANIZED            | 137.50          |
| 180  | W-BEAM GUIDE RAIL (12 GA.), 16' RADIUS, CONCAVE, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", BLACK POWDER COATED | 325.00          |
| 181  | W-BEAM GUIDE RAIL (12 GA.), 16' RADIUS, CONCAVE, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", BROWN POWDER COATED | 325.00          |
| 182  | W-BEAM GUIDE RAIL (12 GA.), 16' RADIUS, CONCAVE, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", GALVANIZED          | 137.50          |
| 183  | W-BEAM GUIDE RAIL (12 GA.), 16' RADIUS, CONVEX, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", BLACK POWDER COATED  | 325.00          |
| 184  | W-BEAM GUIDE RAIL (12 GA.), 16' RADIUS, CONVEX, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", BROWN POWDER COATED  | 325.00          |
| 185  | W-BEAM GUIDE RAIL (12 GA.), 16' RADIUS, CONVEX, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", GALVANIZED           | 137.50          |
| 186  | W-BEAM GUIDE RAIL (12 GA.), 24' RADIUS, CONCAVE, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", BLACK POWDER COATED | 325.00          |
| 187  | W-BEAM GUIDE RAIL (12 GA.), 24' RADIUS, CONCAVE, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", BROWN POWDER COATED | 325.00          |
| 188  | W-BEAM GUIDE RAIL (12 GA.), 24' RADIUS, CONCAVE, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", GALVANIZED          | 137.50          |
| 189  | W-BEAM GUIDE RAIL (12 GA.), 24' RADIUS, CONVEX, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", BLACK POWDER COATED  | 325.00          |
| 190  | W-BEAM GUIDE RAIL (12 GA.), 24' RADIUS, CONVEX, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", BROWN POWDER COATED  | 325.00          |
| 191  | W-BEAM GUIDE RAIL (12 GA.), 24' RADIUS, CONVEX, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", GALVANIZED           | 137.50          |
| 192  | W-BEAM GUIDE RAIL (12 GA.), 32' RADIUS, CONCAVE, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", BLACK POWDER COATED | 325.00          |
| 193  | W-BEAM GUIDE RAIL (12 GA.), 32' RADIUS, CONCAVE, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", BROWN POWDER COATED | 325.00          |
| 194  | W-BEAM GUIDE RAIL (12 GA.), 32' RADIUS, CONCAVE, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", GALVANIZED          | 137.50          |
| 195  | W-BEAM GUIDE RAIL (12 GA.), 32' RADIUS, CONVEX, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", BLACK POWDER COATED  | 325.00          |

| 2026 MONMOUTH COUNTY DIVISION OF BRIDGES<br>BEAM GUIDERAIL MATERIALS AND PARTS |   |                   |
|--|---|-------------------|
| ITEM #   | ITEM DESCRIPTION  | UNIT PRICE EACH   |
| 196  | W-BEAM GUIDE RAIL (12 GA.), 32' RADIUS, CONVEX, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", BROWN POWDER COATED                        | 325.00            |
| 197  | W-BEAM GUIDE RAIL (12 GA.), 32' RADIUS, CONVEX, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", GALVANIZED                                 | 137.50            |
| 198  | W-BEAM GUIDE RAIL (12 GA.), VARIOUS RADIUS RANGING ABOVE 32', CONCAVE, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", BLACK POWDER COATED | 325.00            |
| 199  | W-BEAM GUIDE RAIL (12 GA.), VARIOUS RADIUS RANGING ABOVE 31', CONCAVE, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", BROWN POWDER COATED | 325.00            |
| 200  | W-BEAM GUIDE RAIL (12 GA.), VARIOUS RADIUS RANGING ABOVE 32', CONCAVE, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", GALVANIZED          | 137.50            |
| 201  | W-BEAM GUIDE RAIL (12 GA.), VARIOUS RADIUS RANGING ABOVE 32', CONVEX, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", BLACK POWDER COATED  | 390.00            |
| 202  | W-BEAM GUIDE RAIL (12 GA.), VARIOUS RADIUS RANGING ABOVE 32', CONVEX, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", BROWN POWDER COATED  | 325.00            |
| 203  | W-BEAM GUIDE RAIL (12 GA.), VARIOUS RADIUS RANGING ABOVE 32', CONVEX, MIDSPAN SPLICES, POST HOLES SPACED @ 6-3", GALVANIZED           | 165.00            |
|  | <b>TOTAL OF ALL ITEMS #1-203 =</b>  | <b>202,338.25</b> |

**NOTES:**

**THIS BID WILL BE AWARDED ON A LUMP SUM BASIS. THE LOW BID WILL BE DETERMINED BY TOTALING ALL UNIT PRICES. HOWEVER, THE FINAL AWARD AMOUNT WILL NOT EXCEED DEPARTMENT'S BUDGETARY AMOUNT.**

**ALL ITEMS MUST BE BID UPON TO BE CONSIDERED FOR AWARD.**

**VARIANCES:** \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**ALL INQUIRIES MUST BE SUBMITTED IN WRITING TO:  
 FORMALBIDQUESTIONS@CO.MONMOUTH.NJ.US**