

SIGNATURE PAGE

RFQ# F-14-2023

To the Board of County Commissioners of the County of Monmouth:

**THE UNDERSIGNED HEREBY DECLARES THAT
I (WE) HAVE CAREFULLY EXAMINED THE SPECIFICATIONS.
I (WE) HEREBY CERTIFY PRICES QUOTED ARE IN ACCORDANCE
WITH YOUR REQUIREMENTS.**

Company Name: J. R. Henderson Labs, Inc.
(PRINT)

Preparer's Name: Margaret Ellis
(PRINT)

Signature: Margaret Ellis
(DATE)

Address: 123 Seaman Avenue
Beachwood, NJ 08722

Telephone No.: 732-341-1211

Fax No.: 732-505-1658

E-Mail Address: hendersonlabs.jrhlibs@comcast.net

***** (This should be the email where Contracts would be sent) *****

Contact Person: Margaret Ellis

FEIN: [REDACTED]
(Federal Employee ID)

(Revised 9/2015)

**MONMOUTH COUNTY HEALTH DEPARTMENT
LABORATORY ANALYSIS SPECIFICATIONS
CALENDAR YEAR - 2023**

The costs quoted for the list of analyses will be used to select a NJ State Certified Laboratory for a 12 month period from January 1, 2023 through December 31, 2023 to serve the special analytical needs of the Monmouth County Health Department (MCHD).

There is no minimum volume of samples to be submitted for analysis for the term of this contract. A maximum of \$40,000 is allotted for the term although special projects may increase the volume substantially, at the discretion of the MCHD.

The wastewater parameters are:

<u>Item</u>	<u>Estimated Quantity</u>	<u>Cost each for <=5</u>	<u>Total</u>
EPA Method 1600 Enterococcus	<u>20</u>	<u>33.00</u>	<u>660.00</u>
		<u>Cost each for >=6</u>	
EPA Method 1600 Enterococcus	<u>1000</u>	<u>33.00</u>	<u>33,000.00</u>
		<u>Cost each for <=5</u>	
EPA Method 1603 Escherichia coli*	<u>10</u>	<u>30.00</u>	<u>300.00</u>
		<u>Cost each for >=6</u>	
EPA Method 1603 Escherichia coli*	<u>40</u>	<u>30.00</u>	<u>1200.00</u>
		<u>Cost each for <=5</u>	
Fecal coliform SM 9222D	<u>10</u>	<u>30.00</u>	<u>300.00</u>
		<u>Cost each for >=6</u>	
Fecal coliform SM 9222D	<u>30</u>	<u>30.00</u>	<u>900.00</u>
		Total Bid:	<u>\$36,360.00</u>

* For E. coli testing the following methods are approved for ambient waters and Wastewaters: EPA Method 1603; mColiBlue 24 (Hach 10029), if available; SM 9223B (multiple well/multiple tube with Colilert or Colilert media).

VARIANCES

Quoted prices shall be valid for the period January 1, 2023 to December 31, 2023.

Variances if any:

ADDITIONAL CHARGES

1a. In the event court testimony is needed, please state hourly rate for court testimony
\$ 100.00 per hour.

1b. Travel time/mileage charge for court testimony _____ / _____.

2. If an additional Quality Control/Quality Assurance Package is requested, the fee
to be charged for these reports will be computed at a cost of \$ 50.00 /hour.

3. Surcharge for picking up samples from the MCHD when less than 24 hours notice
is given: 60.00

4. Surcharge for receiving emergency samples after normal working hours of 8:30
am-4:30 pm Monday through Friday: 60.00

****The above mentioned "Additional Charges" will be used on an if and or as needed
basis. The "Additional Charges" will not be used in determining the low bidder****